



## Transport Refrigeration TEF 1500


**mitsubishi 24h-Coolline**  
pan-European  
00800 8083 8083

## Switching on / diesel-electric operation

To switch the genset on or off, press the button



If the unit does not respond, check the position of the main switch behind the left front door.



When the mains cable is plugged in, the unit automatically selects electric mode.

## **Temperature setting**

Select the new temperature to be set by pressing the F2 (warmer) or F3 (colder) button. Confirm the change by pressing the F4 button. You can cancel the change by pressing the F1 button.

Four pre-programmed temperature settings can also be selected.

To do this, press the



The programmed temperatures are displayed above the function buttons.

Select the desired temperature by pressing the corresponding button. Confirm the selection by pressing the button again for 3 seconds.

## Self-diagnosis

To ensure reliable transportation, it is essential to check the unit regularly. To do this, carry out a self-diagnosis before loading.

Switch the device on. Press the Menu button Use F2 or F3 to scroll to "Self-diagnosis"


Confirm this with F4.

Choose between F2 "Basic (approx. 3 minutes)" and F3 "Detail (approx. 2.5 hours)"

Start the self-diagnosis with F4. Once the diagnosis is complete, the result is displayed with :

"Success" (no errors) or the display of the errors found.

## Control panel



## **Continuous run / Start-Stop**

The selected Start-Stop operating mode is shown on the left-hand side of the display with the symbol displayed.



To switch to Continuous run, press the F4 button, select the Continuous run function with F2 and confirm this by pressing the F4 button again.

## Manual defrost

The defrosting processes are started automatically by the unit. If you notice that ice has formed on the evaporator or damp or wet goods have been loaded, it is recommended that you carry out a manual defrosting process.

To do this, if the temperature in the hold is colder than 1°C, press the automatically by the unit. If you notice that ice has formed on the evaporator or damp or wet goods have been



Manual defrosting ends automatically and the unit switches to cooling or heating mode as required.



**24-h-  
SERVICE**

**mitsubishi**  
**COOLLINE**  
**00800 8083 8083**